IXP database and tools

CEE Peering Days 2017

Ljubljana, Slovenia

> What do we do?

- Two fora per year
- Maintain and develop the website, database and tools
- Annual European IXP Report
- Mentor-IX programme
- Fellowship programme
- Benchmarking Club (BMC)

Talk to us and each other

- Mailing lists
- Newsletter Subscribe here:
 - euro-ix.net/news-and-events/newsletter/
- Working Groups
- Social Media
 - Twitter @euroix
 - Facebook <u>fb.me/maineuroix</u>
 - YouTube youtube.com/channel/UCFyucVRAAMzxyJlsxnGwsjw

> Association of IXPs

82 affiliated IXPs:

- 56 IXPs in the Euro-IX Region 49 Countries, operating over 100 Peering LANs
- 26 IXPs from the rest of the world
- Newest Members:

Global-IX

DatalX

Patrons

- Arista
- Brocade
- Ciena
- Coriant
- ECI Telecom
- Equinix I Telecity
- Extreme Networks

- Huawei
- Interxion
- Juniper Networks
- MRV
- Nokia
- Telehouse


Website



Home | About | IXPs | News & Events | Join Euro-IX | For networks | Tools

European Internet Exchange Association

♣ Sign In



Welcome to Euro-IX

We are an association of Internet Exchange Points (IXPs), promoting an open interchange of ideas and experiences, gained to mutual advantage of the membership, by offering fora, workshops, tutorials, mailing lists and online resources.

Register for an account

Learn more about what we do »

Latest News

What is an IXP?

OCTOBER NEWSLETTER OCT. 10, 2016

With only a few weeks left until the 29th forum, we encourage all those who want to attend to register ASAP. There will be a tour of the districts on Sunday 6th at 12.30, and a RIPE ATLAS workshop in the evening. Find out more about the forum and register here

We welcome new patron ARISTA to the Euro-IX community! Read their introduction and find out about the improved IX-F DB in the latest <u>newsletter</u>

TESPOK LAUNCHES AFRICA'S FIRST GLOBAL ROAMING EXCHANGE SEPT. 12, 2016


The Internet eXchange Federation has defined an IXP as;

A network facility that enables the interconnection of more than two independent Autonomous Systems, primarily for the purpose of facilitating the exchange of Internet traffic.


An IXP provides interconnection only for Autonomous Systems. An IXP does not require the Internet traffic passing between any pair of participating Autonomous Systems to pass through any third Autonomous System, nor does it alter or otherwise

Website – Top Improvements!

- 1. ASN Automation
- 2. Switch Database
- 3. Route Server Database
- 4. Edit your own profile
- 5. Edit your organisation and team members
- 6. Peering matrix, service matrix and ASN database all working
- 7. Database quality improvements









ASN Database								
Stats Search Recent Common								
IXP PARTICIPANTS	IPV6	UNIQUE ASNS						
	EURO-IX							
8715	5488	4478						
	APIX							
1513	447	929						
	AF-IX							
335	64	296						
	LAC-IX							
1883	1258	1385						
	NORTH AMERICA							
2195	538	1086						
	GLOBAL							
14641	7795	7755						



ASN Data	base		
Stats Search	Recent Common		
AS#	COMPANY	PRESENT AT	IPV6
<u>6939</u>	<u>HE</u>	<u>80</u>	Y
20940	<u>Akamai</u>	IXPs	
<u>15169</u>	<u>Google</u>	AMS-IX AMS-IX Bay Area	0
<u>3856</u>	Packet Clearing House	AMS-IX Day Alea AMS-IX Day Alea AMS-IX Day Alea AMS-IX Day Alea AMS-IX Hong Kong	
<u>42</u>	<u>WoodyNet</u>	AMS-IX New York BBIX - Tokyo	
8075	Microsoft	BCIX BIX.BG	
<u>22822</u>	Limelight Networks, Inc.	BiX Big APE	
<u>10310</u>	Yahoo Inc. (B)	CATNIX CoreSite - Any2 Denver / RMIX Denver	
<u>13335</u>	CloudFlare	CoreSite - Any2 Los Angeles DE-CIX Frankfurt	
<u>16509</u>	<u>Amazon</u>	DE-CIX Hamburg DE-CIX Marseille	
<u>26415</u>	VeriSign Netherlands BV	DE-CIX Munich DE-CIX New York	
<u>15133</u>	<u>Edgecast</u>	DIX - Lyngby ECIX Berlin	



Peering Matrix

CSV Download o/o of ASNs that don't peer at other IXPs o/o of ASNs that Deer at other IXPs **AMS-IX** 79.77 30.77 <u>13</u> AMS-IX Caribbean **ARMIX** 0.00 <u>10</u> 50.00 **Angonix** 62.50 BBIX - Tokyo BCIX 70.89 58.33 **BIX.BG** 53.33 <u>19</u> **BNIX BiX** 42.86 <u>17</u> **CATNIX** 37.50 <u>11</u> <u>32</u> CIX 37.50 <u>19</u> **CIXP** 75.00 <u>36</u> 72.48 <u>46</u> <u>15</u> **DE-CIX Frankfurt** <u>22</u> **DIX - Lyngby** 59.09 83.67 <u>24</u> <u>22</u> **ECIX Berlin** 83.38 <u>131</u> **Equinix Paris** 98.95 **Equinix Zurich** FICIX - Helsinki 56.67 FVG-IX 75.00 <u>17</u> <u>12</u> France-IX Paris 89.80 <u>113</u> <u>2</u> <u>5</u>




IXP Service Matrix

CSV Download

IXP	Location	ASN	RS ASN	# of customers	# IPv6 ready	% IPv6 ready	# of Sites
7.11VIO 17.				customers			
AMS-IX Bay Area	San Francisco			23	17	73.91	0
AMS-IX Caribbean	Willemstad, Curacao	28017		14	6	42.86	1
AMS-IX Chicago	Chicago			21	17	80.95	0
AMS-IX Hong Kong	Hong Kong	<u>58516</u>		32	25	78.12	1
AMS-IX India	Mumbai					0.0	0
AMS-IX New York	New York	62981		18	17	94.44	4
ARMIX	Yerevan	<u>51225</u>		10	8	80.00	1
Angonix	Luanda	327788		2	2	100.00	0
<u>Aracaju (SE)</u>	Aracaju					0.0	0
BBIX - Hong Kong	Hong Kong					0.0	0
BBIX - Tokyo	Tokyo	23640		8	1	12.50	7
BCIX	Berlin	16374		83	72	86.75	6
BIX Bergen	Bergen	<u>o</u>		4	2	50.00	0
BIX.BG	Sofia	15669		77	36	46.75	8
BNIX	Brussels	5406		45	14	31.11	3
Belo Horizonte (MG)	Belo Horizonte			29	13	44.83	0
Belm (BEL)	Belém			15	6	40.00	1
BiX	Budapest	5507		49	37	75.51	3
Braslia (DF)	Brasilia			32	21	65.62	0
CATNIX	Barcelona	49638		35	22	62.86	3
CHN-IX	Beijing					0.0	0
CIX	Zagreb	51702		32	11	34.38	2
CIXP	Geneva	57859		36	7	19.44	3





Switch Database							
Browse Rece	nt For Sale My IX	P Switches Add Switch	<u>ch</u>				
NAME	VENDOR	MODEL	IXP	SOFTWARE VERSION	CREATED		
Cremat	Arista	7280SE-72	CATNIX	4.15.3F	Sept. 28, 2016		
Sucre	Arista	7280SE-72	CATNIX	4.15.3F	Sept. 28, 2016		
CIX2	Force10	S4810	CIX	9.10(0.0)	Sept. 23, 2016		
mlx-zh4	Brocade	MLXe-16	SwissIX	5.7.0dT163	Aug. 02, 2016		
mlx-rue	Brocade	MLXe-16	SwissIX	5.7.0dT163	Aug. 02, 2016		
NAME	VENDOR	MODEL	IXP	SOFTWARE VERSION	UPDATED		
switch26	Extreme	X480-24x(10G4X)	LINX LON2	15.4.1.3	Oct. 23, 2016		

Route Se	rvers						
Browse Recer	nt My F	Route Servers Add Route Server					
IXP	AT IXP	NAME	IN USE	DAEMON	VERSION	os	CREATED
DE-CIX Frankfurt	Y	rsbh.fra.de-cix.net	Y	BIRD	1.6.3	Debian	Jan. 28, 2017
ECIX Munich	N	rs1.muc.ecix.net	Y	bird		CentOS	Jan. 27, 2017
InterLAN	Y	RS02-INTERLAN	Y	BIRD	1.3.11	CentOS	Nov. 11, 2016
InterLAN	Y	RS01-INTERLAN	Y	BIRD	1.3.11	CentOS	Nov. 11, 2016
SAIX	Y	saix-rs1	Y	BIRD	1.4.5	Debian	Nov. 11, 2016
IXP	AT IXP	NAME	IN USE	DAEMON	VERSION	os	UPDATED
TOP-IX	Y	rs2.top-ix.org	Y	BIRD	1.6.2	Ubuntu	Feb. 21, 2017
TOP-IX	Y	<u>rs1.top-ix.org</u>	Y	BIRD	1.6.2	Ubuntu	Feb. 21, 2017
DE-CIX Frankfurt	Y	rs2.fra.de-cix.net	Y	BIRD	1.6.3	Debian	Jan. 28, 2017
DE-CIX Frankfurt	Y	rs1.fra.de-cix.net	Y	BIRD	1.5.0	Debian	Jan. 28, 2017
DE-CIX Frankfurt	Y	rsbh.fra.de-cix.net	Y	BIRD	1.6.3	Debian	Jan. 28, 2017



> IXP Database – where are we?

 Database schema is in place for IXPs to record their information about themselves and the operators they serve

IXP API is live - https://db.ix-f.net/api/ixp

> IXP Database - What's next?

- Extend and internationalise the admin interface for all IXPAs (APIX, LAC-IX and AF-IX)
- Create bespoke maintained APIs
- Future revisions to the database schema to capture more data

> IXP Database – use case

Thanks to Andy Davidson for the example

"who am I not peering with at LONAP?"

- You have a script which load direct adjacencies into an array
- You need a complete and canonical list of peers to compare differences

> IXP Database – use case

Using the IXP API

https://db.ix-f.net/api/ixp

IXP Database – use case

```
"ixp_info": {
  "status": "active",
  "updated": "2014-02-17T10:07:51Z",
  "name": "London Network Access Point",
  "created": "2011-08-16T13:26:26Z",
  "shortname": "LONAP",
  "ixp id": "IX-F#18"
"timestamp": "2015-09-16T08:17:31.116Z",
"version": "2014110401",
"member_list": [
    "asnum": 20915,
    "name": "100 Percent"
  } ,
    "url": "http://www.2connectbahrain.com/",
    "asnum": 51406,
    "name": "2Connect"
  } ,
    "url": "http://www.34sp.com",
    "asnum": 41357,
    "name": "34SP.com Ltd"
  } ,
    "url": "http://4d-dc.com/",
    "asnum": 31463,
    "name": "4D Data Centres"
  } ,
    "url": "http://www.afilias.info",
    "asnum": 12041,
    "name": "Afilias"
  } ,
    "url": "http://www.akamai.com",
    "asnum": 20940,
    "name": "Akamai Technologies"
  },
    "url": "http://www.alentus.com",
    "asnum": 21321,
    "name": "Alentus UK Ltd"
 } .
```

> IXP Database – use case

```
import urllib, json
url = "http://db.ix-f.net/api/ixp/18/member-list"
response = urllib.urlopen(url)
ixpdata = json.loads(response.read())
my_peers = [8916,20940,20915, 51406, 41357, 31463, 12041, 21321, 12536, 16509, 20712, 33920,
for member in ixpdata["member_list"]:
    if member["asnum"] not in my_peers:
        print "Get some peering with " + str(member["asnum"]) + " (" + member["name"] + ")"
```

IXP Database – use case

```
enigma:Desktop andy$ python ixp.py
 Get some peering with 6871 (PlusNet)
 Get some peering with 8689 (PowerGroup (Power Internet Ltd))
 Get some peering with 8676 (PRT Systems)
 Get some peering with 28792 (Public Internet Limited)
 Get some peering with 31402 (Rank Interactive (Blue Square Limited))
 Get some peering with 35662 (Redstation)
 Get some peering with 5552 (Redstone Communications Ltd)
 Get some peering with 5503 (RM Education Plc)
 Get some peering with 51409 (Sectorsix)
 Get some peering with 50056 (Advantage Interactive Ltd)
 Get some peering with 29550 (Simply Transit Ltd.)
 Get some peering with 48961 (Warwicknet Ltd)
 Get some peering with 20738 (Webfusion)
 Get some peering with 44444 (Websense Hosted R&D Ltd. (UK))
 Get some peering with 49158 (Wifinity)
Get some peering with 13037 (Zen Internet)
enigma:Deskton andv$
```

> IXP Database - IXP JSON Schema

- Contains both IXP data & IXP participant data
 - ASN (member list), locations, switch, RS, etc etc
- Open, consistent & an atomic design
- Currently 24 IXP independent implementations (API includes data from euro-ix portal entered manually or via .csv)
- Open source implementation in IXP Manager
- Source available on GitHub;

https://github.com/euro-ix/json-schemas

> IXP Database – use case

Why not just use the IXPs own data?

- This gives you a single API for many IXPs
- Get the same format for all IXPs, its standard wohoo!
- Data is fed from the IXP IXPs have accurate data, they own it.
- Portable, supportable and scaleable!

In search of accurate information

- Peering networks can go to two sources of data to guarantee accuracy
- Tools and portal available on the Euro-IX website, future development for APIX, LAC-IX and AF-IX
- IXPAs have regional reach to local IXPs
- The data is complementary to database services that the RIR/ NIRs & PeeringDB provide

Questions?

Thank You!

Rebecca Class-Peter rebecca at euro-ix dot net Twitter: @euroix